


THIS DRAWING AND SPECIFICATIONS HEREIN, ARE THE PROPERTY OF DATA GENERAL CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.

| REVISIONS | | | | |
|-----------|---|--------|---------|----------|
| REV. | DESCRIPTION | DRFTG. | APP. BY | DATE |
| 01 | REV PER MKD PRINT | RWS | | 1/24/71 |
| 02 | REV PER ECO # 809 | RWS | | 1-24-72 |
| 03 | REV PER ECO # B29 | RWS | | 3-17-72 |
| 04 | ECO # 1052 CHANGE OF VALUE 6.8uF 8 PLACES TO 4.7uF 50V 8 PLACES | R.W.C. | | 10-16 72 |
| 05 | ECO # 1197 CHANGE OF VALUE 8w 3w 3% (1/6 REQ) TO 8w 4w 3% (1/6 REQ) | R.W.C. | | 10-16 72 |
| 06 | ECO # 1478 | R.W.C. | | 3-21 73 |
| 07 | ECO # 1556 | R.W.C. | | 10-18 73 |
| 08 | ECO # 1943 | R.W.C. | | 10-18 73 |
| 09 | ECO # 2199 | R.W.C. | | 1-17 74 |
| 10 | ECO # 2211 | R.W.C. | | 1-17 74 |
| 11 | ECO # 2363 | R.W.C. | | 4-18 74 |
| 12 | ECO # 2521 | G.W.M. | | 7-574 |
| 13 | ECO # 2876 | RFJ | | 12-1674 |



NOTES:
1. * RESISTOR VALUES SELECTED AT TEST.

| NMC | | QTY. | DESCRIPTION | PART NO. |
|-----------------------------|---------------|------------|----------------|----------|
| UNLESS OTHERWISE SPECIFIED— | DRAWN | R. SMITH | | |
| DIMENSIONS ARE IN INCHES | CHECKED | | | |
| TOLERANCES ON | ENGINEER | R. BRUNER | | |
| FRACTIONS DECIMALS ANGLES | APPROVED | | | |
| XX = | FIRST USED ON | 1210 | | |
| = | | 107-000109 | | |
| PARTS TO BE FREE FROM BURRS | SCALE | | | |
| BREAK ALL EDGES 010 | SIZE | CODE | DRAWING NUMBER | REV. |
| UNLESS OTHERWISE SPECIFIED— | D | 001 | 000172 | 13 |
| ALL MACH. SURFACES | | | | |
| MATERIAL | | | | |
| FINISH | | | | |

DATA GENERAL CORPORATION
SOUTHBORO, MASSACHUSETTS 01772
TITLE
BACK PNL 1210
POWER SUPPLY