


SUBSYSTEM COMPONENT BREAKDOWN



MAJOR COMPONENT			
Item	Component	Mounting Location	Notes
A	DATA TERMINAL <i>DG-02672</i>	FREE-STANDING	PLUG-COMPATIBLE WITH 20mA OR EIA INTERFACE





CABLE				
Item	Cable	Connecting	Max Allowed Lg ft / m	Notes
B	DEVICE CABLE (20mA)	20mA INTFCE " DATA CONNECTOR	1500 / 457	DEV CABLE VARIES WITH: 1) COMPUTER 2) BAUD RATE 3) INTERFACE
	DEVICE CABLE (EIA)	EIA INTFCE " DATA CONNECTOR	20 / 6.1	

SPECIFICATIONS OF FREE-STANDING COMPONENTS

Item	Component	Number in Sub-system	Weight		Operating Humidity (Relative)		Maximum Operating Temperature		Power Dissipation (Watts)	BTU/hr (3.413 Watts)	Primary Power			Power Cable Length ft / m	Power Cable Connector	Power Drop Mating Power Receptacle	Wall Mating Power Receptacle
			lbs	kg	min	max	°F	°C			°F	°C	Current (Amps)				
A	100V	N/A	60	27	10%	90%	104*	N/A	200	682	2.0	100-15	47-63	6 / 1.82	5-15P	5-15R	5-15R
	120V	N/A									1.7	120-18	"	6 / 1.82	5-15P	5-15R	5-15R
	220V	N/A									0.9	220-33	"	6 / 1.82	6-15P	6-15R	6-15R
	240V	N/A									0.8	240-36	"	6 / 1.82	6-15P	6-15R	6-15R

DG-01917

*MINIMUM OPERATING TEMPERATURE: 50°F/10°C



NOTE: REAR OF UNIT MUST BE AT LEAST 6" FROM WALL OR OTHER OBSTRUCTION TO PROVIDE COOLING AIR FLOW.

013-006840 BRUNING 40-526 27928

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF DATA GENERAL CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.

REV	00	01	02	03	04															
ECO	5372	6054	6764	7483	7540															
APP																				
DATE	11/6/72	2-20-77	11/23/77	5-24-78	7/18/78															


DRAWN	<i>[Signature]</i>	APPROVED	<i>[Signature]</i>
CHECKED		FIRST USED ON	
ENGINEER	<i>[Signature]</i>	CODE IDENT	34984

TITLE
DASHER TPI TERMINAL
PRINTER SERIES 6040-6043

DATA GENERAL CORPORATION			
SOUTHBORO, MASSACHUSETTS 01772			
SIZE	CODE	DRAWING NUMBER	REV
C	010	000094	C4

4 3 2 1

SHIPPING




DG-03289

SHIPPING AND PACKAGE DATA						
Outside Dimensions			Weight (Gross)	Volume	Density	
Length	Width	Depth				
in.	in.	in.	lbs.	cu ft.	lbs/cu ft.	
cm	cm	cm	kg	cu m	kg/cu m	
37	32.5	50	165	34.8	3.7	
94	82.6	127	74	.98	60.2	
SHIPPING SPECIFICATIONS			STORAGE SPECIFICATIONS			
Temperature Range	Relative Humidity (Non-condensing)	Maximum Altitude	Temperature Range	Relative Humidity (Non-condensing)	Maximum Period	
-40 +160 -49 +71	0%/80%	50,000ft. 15,200m	-40 +160 -40 +71	0%/80%	90 days	

DG-03224


TAILORING SWITCHES



DG-02930 REF. DGC BOARD No. 107 000609 rev.-03
107 000845, rev. 00

PARITY	SWITCH CONFIGURATION			
	1	2	3	4
EVEN	OFF	ON	RESERVED FOR FUTURE USE.	
ODD	ON	ON		
NONE	X	OFF		

"X" INDICATES THAT SETTING IS IRRELEVANT.
NOTE: STANDARD SWITCH CONFIGURATION IS FOR EVEN PARITY OPERATION.



SWITCH	OPERATION
LINE COUNT	SET TO LINE COUNT CORRESPONDING TO THE FORM LENGTH
TOF INIT	PUSH DOWN TO INITIATE LINE COUNTERS
SKIP DISABLE	USE TO DISABLE AUTO PERFORATION SKIP FEATURE

013-000840 BRUNING 40-526 27928

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF DATA GENERAL CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.


REV	DATE	APP	CHECKED	ENGINEER	DRAWN	APPROVED	FIRST USED ON	CODE IDENT
ECO								34984

DASHER TPI TERMINAL
PRINTER SERIES 6040-6043

DATA GENERAL CORPORATION
WESTBORO, MASSACHUSETTS 01581

SIZE	CODE	DRAWING NUMBER	REV
C	010	000094	04

JUMPERS



MODELS 6042, 6043 (110, 150 or 300 BAUD)

INTERFACE	20mA			EIA		
	64	96	124	64	96	124
NUMBER OF PRINTABLE CHARACTERS						
JUMPER POSITIONS						
W1	0	0	0	0	0	0
W2	0	0	0	0	0	0
W3	1	1	1	0	0	0
W4	0	0	0	1	1	1
W5	0	0	0	0	0	0
W6	1	1	1	1	1	1
W7	0	0	0	1	1	1
W8	1	1	1	0	0	0
W9	0	1	1	0	1	1
W10	1	0	0	1	0	0
W11	1	1	1	1	1	1
W12	0	0	0	0	0	0
W13	0	0	0	0	0	0
W14	1	1	1	1	1	1
W15	0	0	0	0	0	0
W16	1	1	1	1	1	1
W17	0	0	0	1	0	1
W18	1	1	0	1	1	0
W19	1	1	1	1	1	1
W20	0	0	0	0	0	0

MODELS 6040, 6041 (300 or 600 BAUD)

INTERFACE	20mA			EIA		
	64	96	124	64	96	124
NUMBER OF PRINTABLE CHARACTERS						
JUMPER POSITIONS						
W1	1	1	1	1	1	1
W2	0	0	0	0	0	0
W3	1	1	1	0	0	0
W4	0	0	0	1	1	1
W5	1	1	1	1	1	1
W6	0	0	0	0	0	0
W7	0	0	0	1	1	1
W8	1	1	1	0	0	0
W9	0	1	1	0	1	1
W10	1	0	0	1	0	0
W11	0	1	0	0	0	0
W12	1	1	1	1	1	1
W13	1	1	1	1	1	1
W14	0	0	0	0	0	0
W15	1	1	1	1	1	1
W16	0	0	0	0	0	0
W17	0	0	1	0	0	1
W18	1	1	0	1	1	0
W19	0	0	0	0	0	0
W20	1	1	1	1	1	1


* 1 INDICATES JUMPER WIRE IN
0 INDICATES JUMPER WIRE OUT

* 1 INDICATES JUMPER WIRE IN
0 INDICATES JUMPER WIRE OUT

NOTE: STANDARD JUMPER CONFIGURATION IS FOR 96 CHARACTER, 20mA OPERATION.

NOTE: STANDARD JUMPER CONFIGURATION IS FOR 96 CHARACTER, 20mA OPERATION.

REF. DGC BOARD No. 107 000609 rev.03, 107 000845 rev.00. W19 and W20 are on 107 000609 rev. 03 and 107 000845 rev. 00 only.



JUMPER POSITIONS*	WITHOUT FORM FEED	WITH FORM FEED
W21	1	0
W22	0	1
W23	1	0
W24	0	1
W25	0	1
W26	1	0
W27	0	1
W28	1	0
W29	1	0
W30	0	1
W31	0	1
W32	1	0

*1 INDICATES JUMPER WIRE IN
0 INDICATES JUMPER WIRE OUT

REF. DGC BOARD NO. 107-000845 REV.00

013-000840 BRUNING 40526 27928

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DATA GENERAL CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION

REV	ECO	APP	DATE

DRAWN	APPROVED

TITLE
DASHER TPI TERMINAL
PRINTER SERIES 6040-6043

DATA GENERAL CORPORATION WESTBORO, MASSACHUSETTS 01581			
SIZE	CODE	DRAWING NUMBER	REV
C	010	000094	04